www.lankava.fi

RENTO HAND TOWELS

Design: Lankava, Jennika Luhtaluoto. **Size:** Approx. 45x72 cm (4 pieces). **Structure:** Mock leno.

Warp/m: Bockens Line linen Nel 16/2 (100% linen; tex 103x2, 1 kg = approx. 4900 m) 110 g 1/2-bleached (0002).

• width in the reed: 52,2 cm

• sett: plain weave 10 ends per cm, mock leno 5 ends per cm

• reed: 50-dent reed; 2 per dent in plain weave, 3-0-0 per dent in mock leno

• 471 ends total (= wind 4 ends at a time, repeat 117 times + additional 3 ends)

Tabby weft/towel: Bockens Line linen Nel 16/2, 70 g 1/2-bleached (0002).

Pattern weft: Lankava Minimop Cotton Twine (80 % recycled cotton, 20 % polyester, tex 1400, 0,7 kg = 490 m) 70 g Yellow (57), 70 g Mint Green (59) and 70 g Turquoise (76).

Sett: 7 picks per cm (6 linen and 1 Minimop), 8 picks per cm for hems.

Warp the loom: Wind the warp 4 ends at a time and thread following the draft. Sley the reed in the following order:

50 ends plain weave: 2 ends per dent = 5 cm,

21 ends mock leno: *3 ends per dent, skip two dents*, repeat *-* 6 times and

sley 3 ends per dent to balance (3-0-0) = 3,8 cm,

26 ends plain weave (as previously) = 2,6 cm,

21 ends mock leno (as previously) = 3,8 cm,

282 ends plain weave = 28,2 cm,


21 ends mock leno = 3,8 cm,


50 ends plain weave = 5 cm.


Weaving: Weave 3 cm for the hem allowances at the beginning and end of the piece with the warp thread. Use two shuttles and weave 90 cm following the treadling draft.

Finishing: Finish the raw edges of the towels. Steam the pieces. Sew 1 cm wide two-fold hems with 1 cm inner hem allowance to both ends of the towels. Use straight stitch. Wet-finish in a washing machine separated from the other laundry using a 40°C delicate wash cycle.









Any commercial use of this pattern is prohibited.

