www.lankava.fi

TREE BARK TOWELS

Design: Lankava Oy, Katja Hynninen **Finished size:** appr. 48x70 cm or 80x150 cm **Weave structure:** chrystal pebble weave, twined

twill, spot bronson or pebble weave

Warp/meter: mercerised Merssi cotton yarn 8/2, tex 76x2 (100 % CO, 1 kg = appr. 6500 m) 95 g for hand towel and 150 g for sauna towel, Black

• width: hand towel 52,4 cm, sauna towel 82 cm

threads/cm: 10reed: 50/2

• total threads: hand towel 524, sauna towel

820

Weft/towel: Bockens tow linen yarn 6, tex 280 (100 % LI, 250 g = appr. 1050 m) 125 g Undyed,

half-bleached or dyed. **Weft threads/cm:** 10

Instructions: Choose warp width and weave structure and create warp accordingly. Weave 80 cm cloth pieces for hand towels and 165 cm pieces for sauna towels. Throw in a different coloured yarn between cloths as a marker for cutting.

Finishing: Tidy up cloth ends. Sew a 1 cm hem to hand towels, 1,5 cm to sauna towels. Sew


a hanging loop on one of the long sides of the towels. Wash the towels at 40°C delicate wash with bleach-free detergent before 1st use. Do not use fabric softener. Steam iron on a linen setting.

Washing and caring: Coloured wash at 50-60°C with bleach-free detergent, separate from other items and without fabric softener.





www.lankava.fi



Any commercial use of this pattern is prohibited.



65x (102x)